SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

FotoDent cast

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Light-curing material for the production of residue-free burn-out moldings for dental casting technology

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Dentamid GmbH
Max-Planck-Straße 31
DE-59423 Unna

Telephone no.	+49 2303 8807-0
Fax no.	+49 2303 8807-29
Information provided by / telephone	Department Research & Development: Fax: +49 2303 8807-562
E-mail address of person responsible for this SDS	sicherheitsdatenblatt@dreve.com

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1A	H317
Aquatic Chronic 2	H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P391	Collect spillage.
P501.1	Dispose of contents/container to industrial incineration plant.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains 2,2'-ethylenedioxydiethyl dimethacrylate; 7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate; Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

CAS No.	72869-86-4				
EINECS no.	276-957-5				
Registration no.	01-2120751202-68				
Concentration	>=	50			%
Classification (Regulation (EC) No. 1272/2008)					
	Skin Sens. 1B	H317			
	Aquatic Chronic 2	H411			

2,2'-ethylenedioxydiethyl dimethacrylate

CAS No.	109-16-0				
EINECS no.	203-652-6				
Registration no.	01-2119969287-21				
Concentration	>=	25	<	50	%
Classification (Regulation (EC) No. 1272/2008)					
	Skin Sens. 1	H317			Route of exposure: dermal

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

CAS No.	162881-26-7				
EINECS no.	423-340-5				
Registration no.	01-2119489401-38				
Concentration	>=	1	<	10	%
Classification (Regulation (EC) No. 1272/2008)					
	Skin Sens. 1A	H317			
	Aquatic Chronic 4	H413			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid

After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

After skin contact

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues

and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor`s instructions.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition! Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

2,2'-ethylenedioxydiethyl dimethacrylate

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	13,9	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	14,5	mg/m³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	8,33	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	8,33	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	48,5	mg/m³

7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,3	mg/m³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1,3	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	0,6	mg/m³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,3	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,7	mg/kg

Predicted No Effect Concentration (PNEC)

2,2'-ethylenedioxydiethyl dimethacrylate

Type of value	PNEC	
Type	Freshwater	
Concentration	0,016	mg/l

Type of value	PNEC	
Type	Saltwater	
Concentration	0,002	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,185	mg/kg

Type of value	PNEC	
Type	Marine sediment	
Concentration	0,018	mg/kg

Type of value	PNEC	
Type	Soil	
Concentration	0,027	mg/kg

Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	1,7	mg/l

7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Type of value	PNEC	
Type	Freshwater	
Concentration	0,01	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	4,56	mg/kg

Type of value	PNEC	
Type	Saltwater	
Concentration	0,001	mg/l
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,46	mg/kg
Type of value	PNEC	
Type	Soil	
Concentration	0,91	mg/kg
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	3,61	mg/l

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.
The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.
Gloves should be replaced regularly and if there is any sign of damage to the glove material.
Hand protection must comply with EN 374.
Appropriate Material nitrile

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	reddish transparent
Odour	characteristic
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined

Boiling point or initial boiling point and boiling range

Value	>	100	°C

Flammability

evaluation	not determined

Upper and lower explosive limits

Remarks	not determined

Flash point

Value	>	250	°C
Method	closed cup		

Auto-ignition temperature

Remarks	not determined

Decomposition temperature

Remarks	not determined

pH value

Remarks	not determined

Viscosity

Remarks	not determined

Solubility(ies)

Remarks	not determined

Partition coefficient n-octanol/water (log value)

Remarks	not determined

Vapour pressure

Remarks	not determined

Density and/or relative density

Value	1,12		g/cm³
Temperature	20	°C	

Relative vapour density

Remarks	not determined

9.2. Other information

Odour threshold

Remarks	not determined

Evaporation rate (ether = 1) :

Remarks	not determined

Solubility in water

Remarks	virtually insoluble

Explosive properties

evaluation	not determined

Oxidising properties

Remarks	not determined

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity
No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability
No hazardous reactions known.

10.3. Possibility of hazardous reactions
No hazardous reactions known.

10.4. Conditions to avoid
Protect from heat and direct sunlight

10.5. Incompatible materials
None known

10.6. Hazardous decomposition products
Irritant gases/vapours

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Remarks	Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

2,2'-ethylenedioxydiethyl dimethacrylate

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 420		

7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	rat		
LD50	>	5000	mg/kg
Method	OECD 401		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 401		

Acute dermal toxicity

Remarks	Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

2,2'-ethylenedioxydiethyl dimethacrylate

Species	mouse		
LD50	>	2000	mg/kg

7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 402		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 402		

Acute inhalational toxicity

Remarks: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Remarks: Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks: Based on available data, the classification criteria are not met.

Sensitization

evaluation: May cause sensitization by skin contact.
Remarks: The classification criteria are met.

Sensitization (Components)

2,2'-ethylenedioxydiethyl dimethacrylate

Route of exposure: dermal
Species: mouse
evaluation: sensitizing
Method: OECD 429

7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Route of exposure: dermal
Species: mouse
evaluation: sensitizing

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Route of exposure: dermal
Species: guinea pig
evaluation: sensitizing
Method: OECD 406

Subacute, subchronic, chronic toxicity

Remarks: not determined

Mutagenicity

Remarks: Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks: Based on available data, the classification criteria are not met.

Repeated exposure

Remarks: Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

2,2'-ethylenedioxydiethyl dimethacrylate

Species	zebra fish (Brachydanio rerio)		
LC50	16,4		mg/l
Duration of exposure	96	h	
Method	OECD 203		

7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	zebra fish (Brachydanio rerio)		
LC50	10,1		mg/l
Duration of exposure	96	h	
Method	OECD 203		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	zebra fish (Brachydanio rerio)		
LC50	> 90		µg/l
Duration of exposure	96	h	
Method	OECD 203		

Daphnia toxicity (Components)

2,2'-ethylenedioxydiethyl dimethacrylate

Species	Daphnia magna		
NOEC	32		mg/l
Duration of exposure	21	d	
Method	OECD 211		

7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	Daphnia magna		
EC50	1,2		mg/l
Duration of exposure	48	h	
Method	OECD 202		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	Daphnia magna		
EC50	> 1175		µg/l
Duration of exposure	48	h	
Method	OECD 202		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	Daphnia magna		
NOEC	>= 8,1		µg/l
Duration of exposure	21	d	
Method	OECD 211		

Algae toxicity (Components)

2,2'-ethylenedioxydiethyl dimethacrylate

Species	Pseudokirchneriella subcapitata		
ErC50	> 100		mg/l
Duration of exposure	72	h	
Method	OECD 201		

7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	Scenedesmus subspicatus		
EC50	> 0,68		mg/l
Duration of exposure	72	h	
Method	OECD 201		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	Scenedesmus subspicatus		
EC50	> 260		µg/l
Duration of exposure	72	h	
Method	OECD 201		

Bacteria toxicity (Components)

7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	activated sludge		
NOEC	>= 36,1		mg/l
Duration of exposure	14	d	

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	activated sludge		
EC50	> 100		mg/l
Duration of exposure	3	h	
Method	OECD 209		

12.2. Persistence and degradability

General information

not determined

Biodegradability (Components)

2,2'-ethylenedioxydiethyl dimethacrylate

Value	85		%
Duration of test	28	d	
evaluation	Readily biodegradable (according to OECD criteria)		
Method	OECD 301 B		

7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Value	22		%
Duration of test	28	d	
evaluation	not readily degradable		

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Value	1		%
Duration of test	28	d	
evaluation	not degradable		

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)

2,2'-ethylenedioxydiethyl dimethacrylate

log Pow	2,3	
Method	OECD 117	

7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

log Pow	3,39	
Temperature	20	°C

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

log Pow	5,8	

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances
The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Must not be disposed together with household garbage.
Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	3082	3082	3082
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate, Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate, Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (7,7,9 (7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate, Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)
14.3. Transport hazard class(es)	9	9	9
Label			
14.4. Packing group	III	III	III
Remarks	The product is not subject to any other provisions of ADR provided packaging of not more than 5 l / 5 kg	The product can be transported in accordance with IMDG Code paragraph 2.10.2.7, provided packaging not more than 5 l / 5 kg.	The product is not subject to any other provisions of IATA provided packaging of not more than 5 l / 5 kg (A197)
Limited Quantity	5 l	5 l	
Transport category	3		
14.5. Environmental hazards	-		
Tunnel restriction code	-		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restriction according to annex XVII to regulation (EU) No 1907/2006

The product is subject to restrictions according to Annex XVII Regulation (EU) No. 1907/2006: Entry No. 3

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1A	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

Hazard statements listed in Chapter 2/3

H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

CLP categories listed in Chapter 2/3

Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment, chronic, Category 4
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, Category 1A
Skin Sens. 1B	Skin sensitization, Category 1B

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.